

000003001240

Version 2.10

Revision Date 2024/01/26

Print Date 2024/01/26

SECTION 1. IDENTIFICATION

Product name	HYDREX ™ XV ALL SEASON
Product code :	HDXASCBE, HDXASICT, HDXASP5R, HDXASP20, HDXASIBC, HDXASDRR, HDXASDRM, HDXASDCT, HDXASC16, HDXAS, HDXASBLK
Manufacturer or supplier's de	tails
	Petro-Canada America Lubricants LLC
	2828 N. Harwood St., Suite 1300 Dallas TX 75201
	United States
Telephone :	1-214-871-3555
Emergency telephone numbe	r
Emergency telephone num- : ber	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the che	mical and restrictions on use
Recommended use	Hydrex XV All Season hydraulic oil is a premium hydraulic oil
	designed for year round use in hydraulic systems that are exposed to wide temperature extremes. It is specifically rec- ommended for woodland, mining, construction, public utility and marine operations eliminating the need for seasonal changeovers.
Prepared by	Product Safety: +1 905-491-0565

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or con- firmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP.

HYDREX [™] XV ALL SEASON

000003001240

Version 2.10

Revision Date 2024/01/26

Print Date 2024/01/26

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

40 - 60
30 - 50
0.1 - 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Unsuitable extinguishing	:	No information available.	
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to loo cumstances and the surrounding environment.	cal cir-

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.





000003001240

Version 2.10		Revision Date 2024/01/26	Print Date 2024/01/26
media			
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire	with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and products of incomplete combustion.	irritating vapours as
Further information	:	Prevent fire extinguishing water from co water or the ground water system.	ontaminating surface

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

000003001240

Version 2.10

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

:

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspeci- fied	72623-86-0	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspeci- fied	72623-87-1	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Choose body protection in relation to its type, to the concen-



HYDREX [™] XV ALL SEASON



000003001240

Version 2.10		Revision Date 2024/01/26	Print Date 2024/01/26	
		tration and amount of dangerous cific work-place.	substances, and to the spe-	
Protective measures	:	Wash contaminated clothing before re-use.		
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.		
SECTION 9. PHYSICAL AND CHE	EMI	CAL PROPERTIES		
Appearance	:	viscous liquid		
Colour	:	Bright, pale yellow.		
Odour	:	Mild petroleum oil like.		
Odour Threshold	:	No data available		
рН	:	No data available		
Pour point	:	-48 °C (-54 °F)		
Boiling point/boiling range	:	No data available		
Flash point	:	227 °C (441 °F) Method: Cleveland open cup		
Fire Point	:	No data available		
Evaporation rate	:	No data available		
Flammability	:	Remarks: Low fire hazard. This r fore ignition will occur.	naterial must be heated be-	
Auto-Ignition Temperature	:	No data available		
Upper explosion limit / Upper flammability limit	:	No data available		
Lower explosion limit / Lower flammability limit	:	No data available		
Vapour pressure	:	No data available		
Relative vapour density	:	No data available		
Relative density	:	No data available		
Density	:	0.8488 kg/l (59 °F / 15 °C)		
Solubility(ies) Water solubility	:	insoluble		

HYDREX [™] XV ALL SEASON



000003001240

Version 2.10		Revision Date 2024/01/26	Print Date 2024/01/26
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	47.9 cSt (104 °F / 40 °C)	
		9.7 cSt (212 °F / 100 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so pose containers to heat or sources of	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, metal oxides, meth- acrylate monomers, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Ingestion Inhalation Skin contact				
Acute toxicity Not classified due to lack of data.				
Product:				
Acute oral toxicity	:	Remarks: No data available		
Acute inhalation toxicity	:	Remarks: No data available		
Acute dermal toxicity	:	Remarks: No data available		


Components:

Lubricating oils (petroleum) fied:	, C [.]	15-30, hydrotreated neutral oil-based; Baseoil — unspeci-
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,

Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
		rest atmosphere. adstrinst

HYDREX [™] XV ALL SEASON







000003001240

Version 2.10

Print Date 2024/01/26

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity			
Product:			
Toxicity to fish	:	Remarks: No data available	
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available	
Toxicity to algae/aquatic plants	:	Remarks: No data available	
Toxicity to microorganisms	:	Remarks: No data available	
Persistence and degradability			
Product:			
Biodegradability	:	Remarks: No data available	
Bioaccumulative potential No data available Mobility in soil			
No data available			
Other adverse effects			
No data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

HYDREX [™] XV ALL SEASON

000003001240

Version 2.10

Revision Date 2024/01/26



Print Date 2024/01/26

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65 ethylene oxide	This product contains chemical(s) known to the State of Cali- fornia to cause cancer and/or to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include: 75-21-8		
The components of this product are reported in the following inventories:			
DSL :	On the inventory, or in compliance with the inventory		
TSCA :	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
IECSC :	On the inventory, or in compliance with the inventory		

SECTION 16. OTHER INFORMATION

Further information NFPA 704: HMIS® IV: Flammability HEALTH FLAMMABILITY 1 Health Instability 0 **PHYSICAL HAZARD** 0 HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents Special hazard a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

HYDREX [™] XV ALL SEASON

PETRO CANADA

000003001240

Version 2.10		Revision Date 2024/01/26	Print Date 2024/01/26
ACGIH / TWA		8-hour, time-weighted average	
NIOSH REL / TWA	:	Time-weighted average concentra workday during a 40-hour workwe	
NIOSH REL / ST	:	STEL - 15-minute TWA exposure at any time during a workday	that should not be exceeded
OSHA P0 / TWA OSHA Z-1 / TWA		8-hour time weighted average 8-hour time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: www.petrocanadalubricants.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2024/01/26 yyyy/mm/dd

HYDREX [™] XV ALL SEASON

000003001240

Version 2.10

Revision Date 2024/01/26

Print Date 2024/01/26

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

