SYNDURO	тм/мс	SHB	100
----------------	-------	-----	-----

000003009391

Version 4.1

Revision Date 2024/01/23



Print Date 2024/01/23

SECTION 1. IDENTIFICATION

Product name :	SYNDURO TM/MC SHB 100
Product code :	SYND100DCT, SYND100P20, SYND100DRM, SYND100
Manufacturer or supplier's det	ails
Telephone :	Petro-Canada America Lubricants LLC 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States 1-214-871-3555
Emergency telephone number	
Emergency telephone num- : ber	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for

Recommended use of the chemical and restrictions on use					
Recommended use	:	Multifunctional Synthetic lubricant for use in air and inert gas compressors and gearboxes. These oils should NEVER be used in equipment compressing pure oxygen or other chemi- cally active gases such as chlorine or hydrogen chloride. DO NOT USE in breathing air apparatus or medical equipment.			
Prepared by	:	Product Safety: +1 905-491-0565			

emergency number(s).

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)		
Reproductive toxicity	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Suspected of damaging fertility.
Precautionary statements	:	Prevention:
		Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:
		IF exposed or concerned: Get medical advice/ attention.

SYNDURO TM/MC SHB 100

000003009391



000003003331		
Version 4.1	Revision Date 2024/01/23	Print Date 2024/01/23
	Storage:	
	Store locked up.	
	Disposal:	
	Dispose of contents/ container to plant.	an approved waste disposal
Other hazards		
None known.		
IARC	No component of this product pres or equal to 0.1% is identified as pr firmed human carcinogen by IARC	obable, possible or con-
OSHA	No component of this product pres equal to 0.1% is on OSHA's list of	•
NTP	No component of this product pres equal to 0.1% is identified as a kno by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

CAS-No.	Concentration (% w/w)
64742-54-7	10 - 20
72623-86-0	10 - 20
72623-87-1	10 - 20
68411-46-1	1 - 5
	64742-54-7 72623-86-0 72623-87-1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser.

SYNDURO TM/MC SHB 100

000003009391



Version 4.1		Revision Date 2024/01/23	Print Date 2024/01/23
		Wash clothing before reuse. Seek medical advice.	
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of wate for at least 15 minutes. Obtain medical attention.	er, also under the eyelids,
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless dire cian or poison control center. Never give anything by mouth to an u Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself. Suspected of damaging fertility.	
Notes to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi- ronment. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition.

SYNDURO TM/MC SHB 100

000003009391



Version 4.1

Revision Date 2024/01/23

Print Date 2024/01/23

Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	None known.
Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage :	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), hy- drotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspeci- fied	72623-86-0	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Lubricating oils (petroleum),	72623-87-1	TWA (Mist)	5 mg/m3	OSHA Z-1

SYNDURO ^{™/MC} SHB 100



000003009391

Version 4.1

Revision Date 2024/01/23 Print Date 2024/01/23 C20-50, hydrotreated neutral oil-based; Baseoil - unspecified TWA (Inhal-ACGIH 5 mg/m3 able particulate matter) OSHA P0 TWA (Mist) 5 mg/m3 NIOSH REL TWA (Mist) 5 mg/m3ST (Mist) 10 mg/m3 NIOSH REL **Engineering measures** No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Personal protective equipment Respiratory protection Use respiratory protection unless adequate local exhaust • ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Filter type organic vapour filter : Hand protection Material neoprene, nitrile, polyvinyl alcohol (PVA), Viton®. 5 Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Eye protection Wear face-shield and protective suit for abnormal processing 5 problems. Skin and body protection Choose body protection in relation to its type, to the concen-1 tration and amount of dangerous substances, and to the specific work-place. Protective measures Wash contaminated clothing before re-use. 5 Hygiene measures Remove and wash contaminated clothing and gloves, includ-2 ing the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	Pale yellow
Odour	:	Hydrocarbon.
Odour Threshold	:	No data available

SYNDURO TM/MC SHB 100

000003009391



000000000000000000000000000000000000000			
Version 4.1		Revision Date 2024/01/23	Print Date 2024/01/23
рН	:	No data available	
Pour point	:	-54 °C (-65 °F)	
Boiling point/boiling range	:	No data available	
Flash point	:	231 °C (448 °F) Method: Cleveland open cup	
Fire Point	:	271 °C (520 °F)	
Evaporation rate	:	No data available	
Flammability	:	Remarks: Low fire hazard. This mater fore ignition will occur.	rial must be heated be-
Auto-Ignition Temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.849 kg/l (59 °F / 15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	101.3 cSt (104 °F / 40 °C)	
		15.1 cSt (212 °F / 100 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, s pose containers to heat or sources of	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

SYNDURO TM/MC SHB 100



000003009391

Version 4.1		Revision Date 2024/01/23	Print Date 2024/01/23
Conditions to avoid	:	No data available	
Incompatible materials	:	Reactive with oxidising agents, ac agents.	cids, alkalis and reducing
Hazardous decomposition products	:	May release COx, NOx, SOx, me and irritating vapours when heate	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact
Ingestion
Inhalation
Skin contact

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspeci- fied:		
	:	LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,
Skin corrosion/irritation Not classified due to lack of data.		
Product:		
Remarks	:	No data available

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : N	lo data available
-------------	-------------------

SYNDURO ^{™/MC} SHB 100

000003009391

Version 4.1



Print Date 2024/01/23

Respiratory or skin sensitisation

Skin sensitisation Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity Suspected of damaging fertility.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product: Toxicity to fish : Remarks: No data available Toxicity to daphnia and other : Remarks: No data available aquatic invertebrates Remarks: No data available Toxicity to algae/aquatic : plants Toxicity to microorganisms : Remarks: No data available Persistence and degradability Product: Biodegradability : Remarks: No data available **Bioaccumulative potential** No data available Mobility in soil

No data available

Other adverse effects

No data available

SYNDURO TM/MC SHB 100

000003009391

Version 4.1



Print Date 2024/01/23

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

California Prop. 65 ethyl acrylate	This product contains chemical(s) known to the State of Cali- fornia to cause cancer. For more information go to www.P65Warnings.ca.gov. The chemicals include: 140-88-5
•	ct are reported in the following inventories:
DSL :	On the inventory, or in compliance with the inventory
TSCA :	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION

Further information

SYNDURO ^{™/MC} SHB 100

000003009391

PETRO-CANADA

Version 4.1

Revision Date 2024/01/23

NFPA 704: Flammability Health Instability Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

SYNDURO TM/MC SHB 100

000003009391

Version 4.1

Revision Date 2024/01/23

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: www.petrocanadalubricants.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2024/01/23 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



Print Date 2024/01/23