PRECISION [™] GENERAL PURPOSE EP2



000003000893

000003000893		
Version 5.0	Revision Date 2024/09/10	Print Date 2024/09/10
SECTION 1. IDENTIFICATION		
Product name	PRECISION [™] GENERAL PURPO	DSE EP2
Product code	: PGP2DRG, PGP2P17, PGP2KGL, PGP2DRL, PGP2CBG, PGP2, PGP2C30	
Manufacturer or supplier's de	tails	
Telephone :	Petro-Canada America Lubricants 2828 N. Harwood St., Suite 1300 Dallas TX 75201 United States 1-214-871-3555	LLC
Emergency telephone numbe	r	
Emergency telephone : number	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult loca emergency number(s).	al telephone directory for
Recommended use of the che	mical and restrictions on use	
Recommended use	These products are multi-purpose, and are designed for use in a wide automotive and industrial application	variety of severe
Prepared by	Product Safety: +1 905-491-0565	

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

PRECISION [™] GENERAL PURPOSE EP2

000003000893

Version 5.0

Revision Date 2024/09/10

Print Date 2024/09/10

Components

Chemical name	CAS-No.	Concentration (% w/w)
Residual oils (petroleum), solvent- dewaxed; Baseoil — unspecified	64742-62-7	30 - 50
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	30 - 50
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	30 - 50
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	30 - 50
lithium 12-hydroxystearate	7620-77-1	5 - 10
lithium stearate	4485-12-5	1 - 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES



PRECISION [™] GENERAL PURPOSE EP2

000003000893



Version 5.0		Revision Date 2024/09/10	Print Date 2024/09/10
		circumstances and the surrounding en	vironment.
Unsuitable extinguishing media	:	No information available.	
Specific hazards during firefighting	:	Cool closed containers exposed to fire	with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), sulphur oxid sulphide (H2S), alkyl mercaptans, sulfi irritating vapours as products of incom	des, smoke and
Further information	:	Prevent fire extinguishing water from c water or the ground water system.	ontaminating surface

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and

PRECISION [™] GENERAL PURPOSE EP2

000003000893

PETROCANAD

Version 5.0 Revision Date 2024/09/10 Print Date 2024/09/10

kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified	64742-62-7	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1	
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH	
		TWA (Mist)	5 mg/m3	OSHA P0	
		TWA (Mist)	5 mg/m3	NIOSH REL	
		ST (Mist)	10 mg/m3	NIOSH REL	
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH	

Components with workplace control parameters

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

PRECISION [™] GENERAL PURPOSE EP2

000003000893

Vei

003000893						
rsion 5.0		Revision Date 2024/09/10		Print D	Print Date 2024/09/10	
			TWA (Respirable particulate matter)	3 mg/m3	ACGIH	
lithium stearate		4485-12-5	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH	
			TWA (Respirable particulate matter)	3 mg/m3	ACGIH	
Engineering measures	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.				
Personal protective equipn	nent					
Respiratory protection	:	ventilation is p that exposures Respirator sel exposure leve	rovided or expo s are within reco ection must be	ess adequate loca osure assessment ommended expose based on known o of the product and respirator.	demonstrates ure guidelines. or anticipated	
Filter type	:	organic vapour filter				
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .				
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.				
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.				
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.				
Protective measures	:	Wash contami	nated clothing l	pefore re-use.		
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : brown

- : Mild grease like.


handling.

Odour



PRECISION [™] GENERAL PURPOSE EP2







PRECISION [™] GENERAL PURPOSE EP2

000003000893

Version 5.0

Print Date 2024/09/10

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and acids.
Hazardous decomposition products	:	May release COx, SOx, POx, H2S, KOx, SbOx, sulfides, alkyl mercaptans, diphenylamine, alkenes, hydrocarbons, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact	
Ingestion	
Inhalation	
Skin contact	

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

Components:

oomponents.				
Residual oils (petroleum), se Acute oral toxicity		ent-dewaxed; Baseoil — unspecified: LD50 (Rat): > 5,000 mg/kg,		
Acute inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist		
Acute dermal toxicity	:	LD50 (Rabbit): > 3,000 mg/kg,		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:				
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,		
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist		

PRECISION [™] GENERAL PURPOSE EP2



rsion 5.0		Revision Date 2024/09/10	Print Date 2024/09/1
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Distillates (petroleum), hy Acute oral toxicity	drotr :	eated heavy paraffinic; Baseoil - LD50 (Rat): > 5,000 mg/kg,	– unspecified:
Acute dermal toxicity	:		
lithium stearate: Acute oral toxicity	:	LD50 (Rat): 15,000 mg/kg,	
Skin corrosion/irritation			
Not classified due to lack of	data		
Serious eye damage/eye in Not classified due to lack of			
Respiratory or skin sensit	isatio	on	
Skin sensitisation Not classified due to lack of	data		
Respiratory sensitisation Not classified due to lack of	data		
Germ cell mutagenicity Not classified due to lack of	data		
Carcinogenicity Not classified due to lack of	data		
Reproductive toxicity Not classified due to lack of	data		
STOT - single exposure Not classified due to lack of	data		
STOT - repeated exposure Not classified due to lack of			
Aspiration toxicity Not classified due to lack of			
CTION 12. ECOLOGICAL IN	FORI	MATION	
Ecotoxicity			
<u>Product:</u> Toxicity to fish	:	Remarks: No data available	

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available



PRECISION [™] GENERAL PURPOSE EP2

000003000893

Version 5.0

Print Date 2024/09/10

		ent-dewaxed; Baseoil — unspecified :
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): > 100 mg/l Exposure time: 72 h
Persistence and degradabili	ity	
Product:		
Biodegradability	:	Remarks: No data available
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		
Other adverse effects		
No data available		

Disposal methods

Waste from residues :	: The product should not be allowed to enter drains, water courses or the soil.
	Offer surplus and non-recyclable solutions to a licensed disposal company.
	Waste must be classified and labelled prior to recycling or disposal.
	Send to a licensed waste management company.
	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

PRECISION [™] GENERAL PURPOSE EP2



000003000893

Version 5.0

Revision Date 2024/09/10

Print Date 2024/09/10


SECTION 15. REGULATORY INFORMATION

California Prop. 65 methanol		This product contains chemical(s) known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. The chemicals include: 67-56-1
The components of this prod	luc	t are reported in the following inventories:
DSL	:	On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA NIOSH REL / TWA		8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

PRECISION [™] GENERAL PURPOSE EP2

000003000893



Version 5.0	Revision Date 2024/09/10	Print Date 2024/09/10
NIOSH REL / ST	workday during a 40-hour work : STEL - 15-minute TWA expose at any time during a workday	
OSHA P0 / TWA	: 8-hour time weighted average	
OSHA Z-1 / TWA	: 8-hour time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	Internet: www.petrocanadalubricants.com/sds United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2024/09/10 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

PRECISION [™] GENERAL PURPOSE EP2



Version 5.0

Revision Date 2024/09/10

Print Date 2024/09/10

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

