

Section 1. Identification

Product identifier

Product Identity Other means of identification Universal Form Oil 201, Bulk Not Applicable

Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

Details of the supplier of the safety data sheet

Company Name

Universal Oil Inc. 265 Jefferson Avenue Cleveland, OH 44113.

Emergency 24 hour Emergency Telephone No. Customer Service:

216-771-4300 216-771-4300

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid, category 3;H226

Flammable liquid and vapor.

Label elements



Revision Date: 04/28/2025



Warning

H226 Flammable liquid and vapor.

[Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking. P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals. This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

Section 3. Composition/information on ingredients



This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|--------------------|-------------------|
| Distillates (petroleum), hydrotreated middle CAS Number: 64742-46-7 Synonyms: No available information | 80 - 100 | Not Classified | No data available |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 64742-65-0 Synonyms: No available information | 7 - 13 | Not Classified | No data available |

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

- **General** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- **Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- **Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- **Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- **Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically. See section 2 for further details.

Section 5. Fire-fighting measures



Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available. Keep away from heat, sparks, open flames, and other ignition sources - No smoking. Keep container tightly closed. Keep cool. Ground, bond container and receiving equipment. Use explosion-proof electrical, ventilating, light, equipment. Use only non-sparking tools. Take action to prevent static discharges.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

128

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up



Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information See section 2 for further details. - [Storage]

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

| CAS No. | Ingredient | Source | Value |
|------------|---|--------|----------------------|
| 64742-46-7 | Distillates (petroleum), hydrotreated middle | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| 64742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| I | | NIOSH | No Established Limit |

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³OSHA PEL and 5 mg/m³ACGIH.

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.



| Eyes | Protective safety glasses recommended |
|-------------------------|---|
| Skin | Avoid skin contact. Protective gloves recommended. |
| Engineering | Provide adequate ventilation. Where reasonably practicable this should be |
| Controls | achieved by the use of local exhaust ventilation and good general extraction. |
| | If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. |
| Other Work Practices | Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

| Physical State | Liquid |
|--|-------------------------------------|
| Color | No available information |
| Odor | No available information |
| Melting point / freezing point | No available information |
| Initial boiling point and boiling range | No available information |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive | Lower Explosive Limit: No available |
| limits | information |
| | Upper Explosive Limit:No available |
| | information |
| Flash Point | 120 °F |
| Auto-ignition temperature | No available information |
| Decomposition temperature | No available information |
| рН | No available information |
| Viscosity (cSt) | No available information |
| Solubility in Water | No available information |
| Partition coefficient n-octanol/water (Log | No available information |
| Kow) | |
| Vapor pressure (Pa) | No available information |
| Relative Density | No available information |
| Vapor Density | No available information |
| | |
| Evaporation rate (Ether = 1) | No available information |
| | |



Oxidising properties Explosive properties

No available information No available information

Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.
Chemical stability
Stable under normal circumstances.
Possibility of hazardous reactions
No available information
Conditions to avoid
Avoid high temperatures and contact with incompatible material
Incompatible materials
No available information
Hazardous decomposition products
No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|---------------------|---------------------|---------------------------------------|--|--------------------------------|
| Distillates (petroleum), hydrotreated middle - | > 5,000.00, Rat - | No data | No data | No data | No data |
| (64742-46-7) | Category: NA | available. | available. | available. | available. |
| Distillates (petroleum), solvent-dewaxed heavy | > 5,000.00, Rat - | No data | No data | No data | No data |
| paraffinic - (64742-65-0) | Category: NA | available. | available. | available. | available. |



| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|------------|---------------------|---------------------|---------------------------------------|--|--------------------------------|
| | | | | | |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|------------|---|--------|---|
| 64742-46-7 | Distillates (petroleum), hydrotreated middle | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 64742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------|
| Acute toxicity (oral) | | Not Applicable |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | | Not Applicable |
| Serious eye damage/irritation | | Not Applicable |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | | Not Applicable |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | | Not Applicable |
| STOT-single exposure | | Not Applicable |
| STOT-repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |

Possible routes of entry:No available information

Symptoms and effects, both acute and delayed:

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

Section 12. Ecological information

Toxicity



No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|---|----------------------------------|----------------------------------|--------------------------------------|
| Distillates (petroleum), hydrotreated middle - (64742- 46-7) | 54.00, Jordanella floridae | 68.00, Daphnia magna | No data available. |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0) | 5,000.00, Oncorhynchus mykiss | 1,000.00, Daphnia magna | 1,000.00, Scenedesmus subspicatus |

Persistence and degradability

There is no data available on the preparation itself. **Bioaccumulative potential** No available information **Mobility in soil** No available information **Results of PBT and vPvB assessment** This product contains no PBT/vPvB/vPvM chemicals. **Other adverse effects** No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

| | DOT (Domestic Surface IMO / IMDG (Ocean | | ICAO/IATA |
|---------------|---|---------------------------|----------------------|
| | Transportation) | Transportation) | |
| UN number | UN1993 | UN1993 | UN1993 |
| UN proper | Flammable liquids, | Flammable liquids, n.o.s. | , Flammable liquids, |
| shipping name | e n.o.s. | (CHEMICAL NAME) | n.o.s., (CHEMICAL |
| | | | NAME) |



TransportClass:3hazardSub Class:Notclass(es)ApplicablePacking groupIII

Class:3 Sub Class:Not Applicable III Class:3 Sub Class:Not Applicable

Environmental hazards

IMDG Marine Pollutant: No; Special precautions for user

No available information

Section 15. Regulatory information

Regulatory The regulatory data in Section 15 is not intended to be all-inclusive, only**Overview** selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

| CAS Number | Ingredient | Toxic Substance Control Act (TSCA) | Comments | Status |
|--------------|---|------------------------------------|----------|--------|
| 0064742-46-7 | Distillates (petroleum), hydrotreated middle | Yes | UVCB | ACTIVE |
| 0064742-65-0 | Distillates (petroleum), solvent-dewaxed heavy paraffinic | Yes | UVCB | ACTIVE |

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

Revision Date

04/28/2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

End of Document