

## Section 1. Identification

### Product identifier

**Product Identity** Gear Oil EP ISO 220, Bulk  
**Other means of identification** Gear Oil EP ISO 220, Bulk  
**Relevant identified uses of the substance or mixture and uses advised against**  
 See Technical Data Sheet.

### Details of the supplier of the safety data sheet

**Company Name** Universal Oil Inc.  
 265 Jefferson Avenue  
 Cleveland, OH 44113.

### Emergency

**24 hour Emergency Telephone No.** 216-771-4300  
**Customer Service:** 216-771-4300

## Section 2. Hazard(s) identification

### Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Reproductive toxicity, category 2;H361D Suspected of damaging the unborn child.

### Label elements



### Warning

H361d Suspected of damaging the unborn child.

### [Prevention]

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P280 Wear protective gloves, eye protection, and face protection.

### [Response]

P308+313 IF exposed or concerned: Get medical advice or attention.

### [Storage]

P405 Store locked up.

### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

### Other hazards

This product contains no PBT/vPvB chemicals.  
 This product contains no endocrine disrupting chemicals.

## Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 64742-65-0 Synonyms: Distillates (petroleum), solvent-dewaxed heavy paraffinic	80 - 100	Not Classified	No data available
1-propene, 2-methyl-, sulfurized CAS Number: 68511-50-2 Synonyms: 1-propene, 2-methyl-, sulfurized	1 - 5	Not Classified	No data available

<b>Toluene</b> <b>CAS Number:</b> 108-88-3 <b>Synonyms:</b> TOLUOL	0.1 - 1	<b>Flammable Liquid, category 2;H225</b> <b>Reproductive toxicity, category 2;H361d</b> <b>Aspiration hazard, category 1;H304</b> <b>Specific target organ toxicity, repeated exposure category 2;H373</b> <b>Skin corrosion/irritation category 2;H315</b> <b>Specific target organ toxicity, Specific exposure category 3;H336</b>	No data available
--	---------	---	-------------------

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
<b>Most important symptoms and effects, both acute and delayed</b>	
<b>Overview</b>	No specific symptom data available. Treat symptomatically. See section 2 for further details.

## Section 5. Fire-fighting measures

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

**ERG Guide No.** ----

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

#### Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

See section 2 for further details. - [Storage]

#### Specific end use(s)

No available information

### Section 8. Exposure controls / personal protection

#### Control parameters

##### Exposure

CAS No.	Ingredient	Source	Value
108-88-3	Toluene	OSHA	200 ppm C 300 ppm, Max above C: 500 ppm 10 mins
		ACGIH	20 ppm
		NIOSH	TWA 100 ppm (375 mg/m <sup>3</sup> ) STEL: 150 ppm (560 mg/m <sup>3</sup> )
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
68511-50-2	1-propene, 2-methyl-, sulfurized	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup> OSHA PEL and 5 mg/m<sup>3</sup> ACGIH.

#### Exposure controls

##### Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

##### Eyes

Protective safety glasses recommended

##### Skin

Avoid skin contact. Protective gloves recommended.

##### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

##### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

### Section 9. Physical and chemical properties

#### Information on basic physical and chemical properties

##### Physical State

Liquid

##### Color

No available information

##### Odor

No available information

##### Melting point / freezing point

No available information

##### Initial boiling point and boiling range

No available information

##### Flammability (solid, gas)

No available information

##### Upper/lower flammability or explosive limits

**Lower Explosive Limit:** No available information

**Upper Explosive Limit:** No available information

##### Flash Point

455 °F

##### Auto-ignition temperature

No available information

##### Decomposition temperature

No available information

##### pH

No available information

##### Viscosity (cSt)

No available information

##### Solubility in Water

No available information

##### Partition coefficient n-octanol/water (Log Kow)

No available information

##### Vapor pressure (Pa)

No available information

##### Relative Density

No available information

##### Vapor Density

No available information

**Evaporation rate (Ether = 1)**

**Oxidising properties**

**Explosive properties**

**Other information**

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Gear Oil EP ISO 220, Bulk

No available information

No available information

No available information

## Section 10. Stability and reactivity

### Reactivity

Hazardous Polymerization will not occur.

### Chemical stability

Stable under normal circumstances.

### Possibility of hazardous reactions

No available information

### Conditions to avoid

Avoid high temperatures and contact with incompatible material

### Incompatible materials

No available information

### Hazardous decomposition products

No hazardous decomposition data available.

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
1-propene, 2-methyl-, sulfurized - (68511-50-2)	No data available.	No data available.	No data available.	No data available.	No data available.
Toluene - (108-88-3)	5,580.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.

### Carcinogen Data

CAS No.	Ingredient	Source	Value
108-88-3	Toluene	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes;
		ACGIH	A4
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
68511-50-2	1-propene, 2-methyl-, sulfurized	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable

Carcinogenicity	---	Not Applicable
Reproductive toxicity	2	Suspected of damaging the unborn child.
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

**Symptoms and effects, both acute and delayed:**

No specific symptom data available.

Treat symptomatically.

## Section 12. Ecological information

### Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus
1-propene, 2-methyl-, sulfurized - (68511-50-2)	No data available.	No data available.	No data available.
Toluene - (108-88-3)	5.50, Oncorhynchus kisutch	3.78, Ceriodaphnia dubia	10.00, Skeletonema costatum

### Persistence and degradability

There is no data available on the preparation itself.

### Bioaccumulative potential

No available information

### Mobility in soil

No available information

### Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### Other adverse effects

No available information

## Section 13. Disposal considerations

### Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	Not Regulated	Not Regulated	Not Regulated
UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
Packing group	Not Applicable	Not Applicable	Not Applicable
Environmental hazards			
Special precautions for user	Marine Pollutant: No; No available information		

## Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

### Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0068511-50-2	1-propene, 2-methyl-, sulfurized	Yes	UVCB	ACTIVE
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Yes	UVCB	ACTIVE
0000108-88-3	Toluene	Yes		ACTIVE

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

Toluene

### Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Toluene ], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Section 16. Other information

**Revision Date** 10/03/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness and dizziness.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

End of Document