

## Section 1. Identification

### Product identifier

#### Product Identity

Blend, Universal Way Lube ISO 32, Bulk

#### Other means of identification

Not Applicable

#### Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

### Details of the supplier of the safety data sheet

#### Company Name

Universal Oil Inc.  
265 Jefferson Avenue  
Cleveland, OH 44113.

### Emergency

#### 24 hour Emergency Telephone No.

216-771-4300

#### Customer Service:

216-771-4300

## Section 2. Hazard(s) identification

### Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Skin corrosion/irritation category 2;H315 Causes skin irritation.

Serious eye damage / eye irritation, category 2;H319 Causes serious eye irritation.

### Label elements



#### Warning

H315 Causes skin irritation.

H319 Causes serious eye irritation.

### [Prevention]

P264 Wash thoroughly after handling.

P280 Wear protective gloves, eye protection, and face protection.

### [Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313 If skin irritation occurs: Get medical attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

### [Storage]

No GHS storage statements

### [Disposal]

No GHS disposal statements

### Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

## Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 64742-65-0 Synonyms: Distillates (petroleum), solvent-dewaxed heavy paraffinic	80 - 100	Not Classified	No data available
Phosphoric acid, 2-ethylhexyl ester CAS Number: 12645-31-7 Synonyms: Phosphoric acid, 2-ethylhexyl ester	0.5 - 1.5	Skin corrosion/irritation category 1B;H314 Serious eye damage / eye irritation, category 1;H318	No data available

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
<b>Most important symptoms and effects, both acute and delayed</b>	
<b>Overview</b>	No specific symptom data available. Treat symptomatically. See section 2 for further details.
<b>Eyes</b>	Causes serious eye irritation.
<b>Skin</b>	Causes skin irritation.

## Section 5. Fire-fighting measures

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

See section 2 for further details. - [Storage]

### Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

### Control parameters

CAS No.	Ingredient	Exposure	
		Source	Value
12645-31-7	Phosphoric acid, 2-ethylhexyl ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup> OSHA PEL and 5 mg/m<sup>3</sup> ACGIH.

### Exposure controls

#### Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

#### Eyes

Protective safety glasses recommended

#### Skin

Avoid skin contact. Protective gloves recommended.

#### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

#### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## Section 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical State	Liquid
Color	No available information
Odor	No available information
Melting point / freezing point	No available information
Initial boiling point and boiling range	No available information
Flammability (solid, gas)	No available information
Upper/lower flammability or explosive limits	<b>Lower Explosive Limit:</b> No available information <b>Upper Explosive Limit:</b> No available information
Flash Point	320 °F
Auto-ignition temperature	No available information
Decomposition temperature	No available information
pH	No available information
Viscosity (cSt)	No available information
Solubility in Water	No available information
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapor pressure (Pa)	No available information
Relative Density	No available information

**Vapor Density**Blend, Universal Way Lube ISO 32, Bulk  
No available information**Evaporation rate (Ether = 1)**

No available information

**Oxidising properties**

No available information

**Explosive properties**

No available information

**Other information**

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

**Section 10. Stability and reactivity****Reactivity**

Hazardous Polymerization will not occur.

**Chemical stability**

Stable under normal circumstances.

**Possibility of hazardous reactions**

No available information

**Conditions to avoid**

Avoid high temperatures and contact with incompatible material

**Incompatible materials**

No available information

**Hazardous decomposition products**

No hazardous decomposition data available.

**Section 11. Toxicological information****Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	> 5,000.00, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
Phosphoric acid, 2-ethylhexyl ester - (12645-31-7)	2,501.00, Rat - Category: 5	No data available.	No data available.	No data available.	No data available.

**Carcinogen Data**

CAS No.	Ingredient	Source	Value
12645-31-7	Phosphoric acid, 2-ethylhexyl ester	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable

Aspiration hazard	---	Not Applicable
-------------------	-----	----------------

Possible routes of entry:

**Symptoms and effects, both acute and delayed:**

No specific symptom data available.

Treat symptomatically.

**Eyes** Causes serious eye irritation.

**Skin** Causes skin irritation.

## Section 12. Ecological information

### Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus
Phosphoric acid, 2-ethylhexyl ester - (12645-31-7)	101.00, Oncorhynchus mykiss	101.00, Daphnia magna	1.20, Pseudokirchneriella subcapitata

### Persistence and degradability

There is no data available on the preparation itself.

### Bioaccumulative potential

No available information

### Mobility in soil

No available information

### Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### Other adverse effects

No available information

## Section 13. Disposal considerations

### Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
<b>UN number</b>	Not Regulated	Not Regulated	Not Regulated
<b>UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable <b>Sub Class:</b> Not Applicable
<b>Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>Environmental hazards</b>	Marine Pollutant: No;		
<b>Special precautions for user</b>	No available information		

## Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA’s Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

**Toxic Substance Control Act (TSCA)**

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	Yes	UVCB	ACTIVE
0012645-31-7	Phosphoric acid, 2-ethylhexyl ester	Yes		ACTIVE
0009003-27-4	Polyisobutylene	Yes	XU	ACTIVE

**Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

**Revision Date** 10/08/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

End of Document